



State of Washington
Department of Ecology
Office Of Columbia River
Incremental Storage Releases Water Permit

PRIORITY DATE
9/15/2011

WATER RIGHT NUMBER
S3-30648

MAILING ADDRESS
National Park Service - Mr. Jon Edwards
Lake Roosevelt National Recreation Area
1008 Crest Drive
Coulee Dam, WA 99116

SITE ADDRESS (IF DIFFERENT)
Rickey Point Vacation Cabin Area
Stevens County

Quantity Authorized for Diversion

DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.35	CFS	11.5

There are 14 pumps: each pump may divert a maximum of .025 cfs and .72 acre-feet per year for irrigation. The 3 lots using water for domestic supply may individually divert a maximum of 0.5 acre-feet per year.

Purpose

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Non-agricultural Irrigation*	0.35		CFS	10		5/15 - 9/15
Domestic supply for 3 homes				1.5		Continuous
Fire Protection						As needed

*Irrigation is for 3.6 acres of lawn and garden on 14 lots.

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
Stevens	Columbia River	Pacific Ocean	58-Middle Lake Roosevelt

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
COLUMBIA RIVER	Lot 28	35N	37E.W.M.	10	NW¼NE¼	48.55333°	-118.13278°
COLUMBIA RIVER	Lot 30	35N	37E.W.M.	10	NW¼NE¼	48.55306°	-118.13278°
COLUMBIA RIVER	Lot 32	35N	37E.W.M.	10	NW¼NE¼	48.55278°	-118.13278°
COLUMBIA RIVER	Lot 34	35N	37E.W.M.	10	NW¼NE¼	48.55250°	-118.13306°
COLUMBIA RIVER	Lot 36	35N	37E.W.M.	10	NW¼NE¼	48.55222°	-118.13333°
COLUMBIA RIVER	Lot 38	35N	37E.W.M.	10	NW¼NE¼	48.55167°	-118.13528°
COLUMBIA RIVER	Lot 40	35N	37E.W.M.	10	NW¼NE¼	48.55139°	-118.13556°
COLUMBIA RIVER	Lot 42	35N	37E.W.M.	10	NW¼NE¼	48.55083°	-118.13583°
COLUMBIA RIVER	Lot 44	35N	37E.W.M.	10	NW¼NE¼	48.55056°	-118.13639°
COLUMBIA RIVER	Lot 46	35N	37E.W.M.	10	NW¼NE¼	48.55028°	-118.13694°

COLUMBIA RIVER	Lot 48	35N	37E.W.M.	10	NW¼NE¼	48.55000°	-118.13694°
COLUMBIA RIVER	Lot 50	35N	37E.W.M.	10	NW¼NE¼	48.54944°	-118.13722°
COLUMBIA RIVER	Lot 52	35N	37E.W.M.	10	NW¼NE¼	48.54889°	-118.13750°
COLUMBIA RIVER	Lot 54	35N	37E.W.M.	10	NW¼NE¼	48.54833°	-118.13778°

Datum: NAD83/WGS84

Place of Use (See Attached Map and Attached)

PARCELS (NOT LISTED FOR SERVICE AREAS)

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Multiple lots within the Rickey Point Vacation Cabin Area within the NE¼ Section 10, T. 35 N., R. 37 E.W.M.

Proposed Works

Fourteen (14) surface water pumps providing water to 14 lots.

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
NA	Complete	July 1, 2014

Measurement of Water Use

How often must water use be measured?	Monthly
How often must water use data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm or cfs)

Provisions

Water Service Contract

Use of water under this permit or certificate is contingent upon the applicant's compliance with a water service contract with Ecology for recovery of costs associated with the Lake Roosevelt Incremental Release Project. Failure to comply with the terms of the water service contract will result in cancellation of the permit or revocation of the certificate.

Measurements, Monitoring, Metering and Reporting

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

General

This water right authorization is less any water diverted or withdrawn under existing claims.

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

Given under my hand and the seal of this office in Yakima, Washington this 27th day of July, 2012.

Department of Ecology

OK TPH

by Mark C. Schuppe
Mark C. Schuppe
Operations Manager
Office of Columbia River